

Material Safety Data Sheet

Section I - Product Identification

Product Name: Minco Oil Spot Sealer
Manufacturer's Name: Maintenance, Inc.
Address: PO Box 408, Wooster, Ohio 44691
Phone Number: 330-264-6262 (Maintenance, Inc.)
Chemical Emergency Phone Number: 1-800-424-9300
Trade Name: Latex oil spot sealer
Chemical Family: Synthetic resin emulsion
Formula: OSS1
Effective Date: 12/13/07
Date Superseded: 2/15/05

Section II - Hazardous Ingredients

Ethylene Glycol

CAS# 107-21-1
% by wt. .09-1.2%
Listed in SARA Title III, Section 313: Yes
OSHA PEL: 100 mg/m³
ACGIH TLV: 100mg/m³

Texanol Ester Alcohol

CAS# 25265-77-4
% by wt. 1.1-1.5%
Listed in SARA Title III, Section 13: No
OSHA PEL: N/A
ACGIH TLV: N/A

Vinyl Acetate

CAS# 108-05-4
% by wt. <0.24
Listed in SARA Title III, Section 313: Yes
OSHA PEL: N/A
ACGIH TLV: 35 mg/m³

Section II - Nonhazardous Ingredients

Water

CAS# 07732-18-5
% by wt. >3%

Vinyl Acrylic Latex Proprietary

% by wt. >3%

N/A = Not available or applicable

Ingredients total wt. % are below 100% only if all others unlisted are not considered hazardous by any federal (OSHA, WHMIS, SARA), any state or province, or local Right-To-Know regulations.

Section III - Physical Data

Boiling Point (degrees F/C): >212°F (100°C)
Vapor Pressure (mm Hg.): Nearly equal to the vapor pressure of water.
Vapor Density (Air = 1): <1
Solubility in Water: Miscible
Appearance and Odor: Yellow liquid with latex odor.
Physical State: Liquid
Freeze Point (degrees F/C): 32°F (0°C)
Specific Gravity: 1.04
% Volatile (by wt.): 80%
Evaporation Rate (Butyl Acetate= 1): >1
Water/Oil Dist. Coeff.: N/A
Threshold Odor, ppm: N/A
pH: N/A

Section IV - Fire & Explosion Hazard Data

Classification: N/A
Flash Point (method used): N/A
Flammable Limits: LEL: N/A UEL: N/A
Combustion Products: CO, CO₂ and traces of monomer, as well as toxic pyrolysis products.
Extinguishing Media: Foam, dry chemical, CO₂, waterfog.
Special Fire Fighting Procedures: Cool exposed containers to prevent steam pressure buildup. Wear self-contained breathing equipment.
Unusual Fire and Explosion Hazards: Containers may rupture due to steam pressure.
Impact Sensitive: No
Static Sensitive: No
Explosion Power: N/A
Burning Rate: N/A

Section V - Health Hazard Data

Routes of Entry: Eyes, inhalation, ingestion.

Effect of Overexposure:

Eyes: May cause eye irritation.

Inhalation: Excess inhalation of vapors may cause respiratory irritation and nausea. Prolonged or repeated exposure to high vapor concentrations may cause damage to kidneys, liver, lungs and CNS.

Skin: May cause irritation of skin.

Ingestion: May cause nausea, cramps, vomiting, diarrhea or irritation to gastrointestinal tract. Repeated ingestion may cause liver damage.

Any Suspected Carcinogen >or= 0.1%: No

Emergency and First Aid Procedures:

Eyes: Immediately flush with plenty of water for 15 minutes and call a physician.

Inhalation: If affected, remove to fresh air.

Skin: Wash thoroughly with plenty of water and soap. Remove contaminated clothing.

Ingestion: Give 1-2 glasses of water or milk, DO NOT induce vomiting, seek physician immediately, show MSDS or label.

Section VI - Reactivity Data

Stability: Stable

Conditions to Avoid: Keep from freezing.

Incompatibility (materials to avoid): Strong acids or bases.

Hazardous Decomposition Products: N/A

Hazardous Polymerization: Will not occur.

Section VII - Spill or Leak Procedures

SARA Title III:

#302: No #304 CERCLA: No #313: No

Steps to be Taken In Case Material is Released or Spilled: Wear suitable protective clothing, gloves, and eye/face protection. Contain the spill. Clean up with absorbent material. Put in sealed approved container. Dispose of as nonhazardous waste in accordance with federal, state and local regulations.

Section VIII - Safe Handling & Protection Information

Respiratory Protection: Use in well ventilated areas only.

Ventilation:

Local Exhaust: Recommended

Mechanical (general): Recommended

Special: N/A

Other: N/A

Protective Gloves: Rubber gloves recommended.

Eyes Protection: Wear safety glasses, goggles or face shield.

Other Protective Equipment: N/A

Estimated LD50, MG/KG: N/A

Estimated: LC50, MG/KG: N/A

Sensitization: No

Irritant: No

Section IX - Special Precautions

Keep out of reach of children.

For professional and industrial use only.

Always read label plus precautions and follow directions carefully.

Keep from freezing.

Use only with adequate ventilation. Do not breathe vapor or spray mist.

Do not take internally.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after using.

Additional Technical Data Sheets and/or MSDSs are available upon request.

THE INFORMATION AND RECOMMENDATION PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND MAINTENANCE INC. DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.