



Certificate of Compliance
Crafco SuperSeal Pavement Sealer 631
(Part Number 375250)

Contractor:
Project Number:
Project Location:
Date:

Pavement Maintenance Supply, Inc. certifies that the SuperSeal Pavement Sealer 631 supplied conforms to all specification requirements of FAA-Specification-AC 150/5370-10C Standards For Specifying Construction of Airports P-631 Refined Coal Tar Emulsion with Additives Slurry Seal Surface Treatment

Fed R-P-355 (ASTM D 5727)

Uniformity	No separation, coagulation, or settlement that cannot be overcome by moderate stirring
Wet Film Continuity	Uniform homogeneous consistency
Resistance to Freezing	Return to homogeneous when stirred
Density, 25C (77F)	1.2g/l (10 lb/gal) minimum
Residue by Evaporation	50% minimum
Water Content	50% maximum
Resistance to Volatilization	10% maximum
Solubility of Residue in CS ₂	20% minimum
Ash Content of Residue	30-40%
Drying time, firm set	8 hr. maximum
Resistance to Heat	No blistering, sagging, slipping
Resistance to Kerosene	Visible evidence of leakage or discoloration shall constitute failure
Resistance to Water	No adhesion loss, blistering, or re-emulsification
Flexibility	No flaking, cracking, or adhesion loss
Impact Resistance	No chipping, flaking, cracking, or adhesion loss more than 6.4mm (1/4 inch) beyond the Periphery of the impact

Respectfully Submitted,
Paving Maintenance Supply, Inc.

Ken McBride